

8 7 6 5 4 3 2 1

REV.	DESCRIPTION	DATE	APPROVED
------	-------------	------	----------

D

D

C


C

B

B

A

A



Fiberdyne Configuration 175					
10G, LGX Cassette, 12 Pin 12 Fiber MPO to 12 LCs, Type D					
Fiber Color Connector A	Lane Assignment Connector A	Pin # Connector A	Pin # Adapter LC	Lane Assignment Adapter LC	Fiber Color Adapter LC
Blue	TX1	1	1	RX1	Blue
Orange	RX1	2	3	TX1	Orange
Green	TX2	3	5	RX2	Green
Brown	RX2	4	7	TX2	Brown
Grey	TX3	5	9	RX3	Grey
White	RX3	6	11	TX3	White
Red	TX4	7	12	RX4	Red
Black	RX4	8	10	TX4	Black
Yellow	TX5	9	8	RX5	Yellow
Purple	RX5	10	6	TX5	Purple
Pink	TX6	11	4	RX6	Pink
Aqua	RX6	12	2	TX6	Aqua

Fiberdyne Labs Inc. Frankfort, NY  
www.fiberdyne.com

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FIBERDYNE LABS INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FIBERDYNE LABS INC IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	<b>FIBERDYNE LABS, INC</b> TITLE: Configuration 175 10G, LGX Cassette, 12 Pin 12 Fiber MPO to 12 LCs Type D SIZE DWG. NO. REV <b>B</b> 130-11900-001 <b>A</b> SCALE: 1:1 ECR: 14006-001 SHEET 1 OF 1
DIMENSIONS ARE IN INCHES		DRAWN	CFO	
TOLERANCES:		CHECKED		
FRACTIONAL ±		ENG APPR.		
ANGULAR: MACH ± BEND ±		MFG APPR.		
TWO PLACE DECIMAL ±.005		Q.A.		
THREE PLACE DECIMAL ±.01		COMMENTS:		
INTERPRET GEOMETRIC TOLERANCING PER:		CAD FILE:		
MATERIAL				
SEE NOTES				
FINISH				
SEE NOTES				
NEXT ASSY	USED ON			
APPLICATION		DO NOT SCALE DRAWING		

8 7 6 5 4 3 2 1