

8 7 6 5 4 3 2 1

REV.	DESCRIPTION	DATE	APPROVED

D

D

C


C

B

B

A

A



Fiberdyne Configuration 196					
MPO-LC, 40G, LGX Cassette, 12 Pin 8 Fiber to 8 LC, Method A					
Fiber Color Connector A	Lane Assignment Connector A	Pin # Connector A	Pin # Adapter LC	Lane Assignment Adapter LC	Fiber Color Adapter LC
Blue	TX1	1	1	RX1	Blue
Orange	TX2	2	2	RX2	Orange
Green	TX3	3	3	RX3	Green
Brown	TX4	4	4	RX4	Brown
Grey	Not Used	5	5	Not Used	Grey
White	Not Used	6	6	Not Used	White
Red	Not Used	7	7	Not Used	Red
Black	Not Used	8	8	Not Used	Black
Yellow	RX4	9	9	TX4	Yellow
Purple	RX3	10	10	TX3	Purple
Pink	RX2	11	11	TX2	Pink
Aqua	RX1	12	12	TX1	Aqua

Fiberdyne Labs Inc. Frankfort, NY
www.fiberdyne.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FIBERDYNE LABS INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FIBERDYNE LABS INC IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	FIBERDYNE LABS, INC TITLE: Configuration 196 MPO-LC, 40G, LGX Cassette, 12 Pin 8 Fiber to 8 LC Method A SIZE DWG. NO. REV B 130-11921-001 A SCALE: 1:1 ECR: 14006-001 SHEET 1 OF 1
DIMENSIONS ARE IN INCHES		DRAWN	CFO	
TOLERANCES:		CHECKED		
FRACTIONAL ±		ENG APPR.		
ANGULAR: MACH ± BEND ±		MFG APPR.		
TWO PLACE DECIMAL ±.005		Q.A.		
THREE PLACE DECIMAL ±.01		COMMENTS:		
INTERPRET GEOMETRIC TOLERANCING PER:		CAD FILE:		
MATERIAL				
SEE NOTES				
FINISH				
SEE NOTES				
NEXT ASSY	USED ON			
APPLICATION	DO NOT SCALE DRAWING			

8 7 6 5 4 3 2 1